


APPENDIX I



LEGEND


- PROPERTY LINE
- METAL EDGER
- SOD OVER 150mm TOPSOIL
- 50-75mm MEDIUM GRADE FIR/HEMLOCK BARK CHIP MULCH
- 100-150mm SMOOTH ROUND ROCK RIVER STONE
- UTILITY RIGHT OF WAY
- EXISTING DECIDUOUS TREE TO RETAIN
- EXISTING DECIDUOUS SHRUB TO RETAIN

DEVELOPMENT DRAWING ONLY



104 AVENUE

103A AVENUE




LEGEND

- PROPERTY LINE
- METAL EDGER
- SOD OVER 150mm TOPSOIL
- 50-75mm MEDIUM GRADE FIR/HEMLOCK BARK CHIP MULCH
- 100-150mm SMOOTH ROUND ROCK RIVER STONE
- UTILITY RIGHT OF WAY
- EXISTING DECIDUOUS AND CONIFEROUS TREES TO RETAIN
16 2
- EXISTING DECIDUOUS SHRUB TO RETAIN
2

DEVELOPMENT DRAWING ONLY






- LEGEND**
- PROPERTY LINE
 - METAL EDGER
 - [Pattern] SOD OVER 150mm TOPSOIL
 - [Pattern] 50-75mm MEDIUM GRADE FIR/HEMLOCK BARK CHIP MULCH
 - [Pattern] 100-150mm SMOOTH ROUND ROCK RIVER STONE
 - [Pattern] UTILITY RIGHT OF WAY
 - [Symbol 7] EXISTING DECIDUOUS AND CONIFEROUS TREES TO RETAIN
 - [Symbol 6] EXISTING DECIDUOUS SHRUB TO RETAIN

104 AVENUE

116 STREET




APPROXIMATE PROPOSED Pylon LOCATIONS

1 PARTIAL SITE PLAN
 A1.01 SCALE: 1/32" = 1'-0"
 C:\Users\VA\Fisher_5818\135-4-01-A1.01.dwg

104 AVENUE


MATCH LINE



2 PARTIAL SITE PLAN
 A1.01 SCALE: 1/32" = 1'-0"
 C:\Users\VA\Fisher_5818\135-4-01-A1.01.dwg


103A AVENUE

DRAWING LIST	
A1.01	SITE PLAN
A1.02	SITE DETAILS
A1.03	SITE DETAILS
A1.04	SITE DETAILS
A1.05	SITE DETAILS
A1.06	SITE DETAILS
A1.07	SITE DETAILS
A1.08	SITE DETAILS
A1.09	GARBAGE ENCLOSURE DETAILS



□ APPROXIMATE PROPOSED PILEN LOCATIONS

1 PARTIAL SITE PLAN
 A1.D1 SCALE: 1/32" = 1'-0"
 C:\Users\p013865\OneDrive\Documents\104-103A\104-103A.dwg



2 PARTIAL SITE PLAN
 A1.D1 SCALE: 1/32" = 1'-0"
 C:\Users\p013865\OneDrive\Documents\104-103A\104-103A.dwg

CONCRETE SIDEWALK/STAIRS	
1	DEMOLISH & REPLACE WITH NEW CONSTRUCTION TO MATCH ORIGINAL CONFIGURATION (SITE VERIFY EXISTING CONDITIONS). BROOM FINISH.
2	CONSTRUCT NEW CONCRETE SIDEWALK TO REAR STOOP. BROOM FINISH.
3	REMOVE EXISTING PAVERS & CONSTRUCT NEW CONCRETE SIDEWALK AND/OR CONCRETE STAIR AS SITE GRADIENT DICTATE. (SITE VERIFY EXISTING CONDITIONS). BROOM FINISH.